

# ZP-2

RASPON $l$ (m) i šema oslanjanja	
dva oslonca	tri oslonca

vrsta panela	nominalna debljina $d$ (mm)	debljina lima $\delta$ / $\delta_0$ (mm)	moment inercije $I$ (cm <sup>4</sup> /m)	otporni moment $W$ (cm <sup>3</sup> /m)	specifično opterećenje $q$ (kN/m <sup>2</sup> )				specifično opterećenje $q$ (kN/m <sup>2</sup> )			
					1.00	1.25	1.50	1.75	1.00	1.25	1.50	1.75
ZPS 50	50	0.5 / 0.5	61.26	24.50	3.65	3.40	3.20	2.80	4.90	4.55	4.25	3.95
		0.6 / 0.6	73.21	29.29	3.90	3.60	3.40	3.05	5.20	4.80	4.55	4.30
ZPS 60	60	0.5 / 0.5	88.51	29.50	4.15	3.85	3.60	3.20	5.55	5.10	4.65	4.35
		0.6 / 0.6	105.85	35.28	4.40	4.10	3.85	3.45	5.85	5.60	5.15	4.75
ZPS 80	80	0.5 / 0.5	158.1	39.50	5.00	4.35	4.35	4.15	6.65	5.95	5.40	5.00
		0.6 / 0.6	189.13	47.28	5.30	4.65	4.65	4.40	7.15	6.50	5.90	5.50